



Waeco TEC Konfiguration


Item	12V	24V	Info
R1		1k8 1%	
R2		20k 1%	
R3	10,0 1%	100 5%	
R4		100 5%	
RN1	QU6051		
RN2	NS6050		
RN3	QU6054		
RN4	QV6052		
RN5	QT6053		
RN6	QT6055		
IC1	HC4011		
IC2	LM324N		
IC3	LM358N		
P1	10KA		
P2	20K		
Z1	85C15		Geänderte Bestückung
Z2	55C4V7		Geänderte Bestückung
RL1	12V	24V	



24V Relais 10A, 1 x UM liegend, Schrack Marken-Relais RP110024 (RP611024)
12V Siemens Print Relais liegend V23127-A0002-A101 (V23127-A0006-A202)

Product code	Version	Contact arrangement	Contact material	Coil	Part number
V23057-A0002-A101	Horizontal	1 form C (CO) contact	AgNi0.15	12VDC	1393215-4
V23057-A0002-A401			AgCdO		1393215-9
V23057-A0006-A101			AgNi0.15	24VDC	2-1393215-1
V23057-A0006-A201			AgNi 20		2-1393215-3
V23057-A0006-A401			AgCdO		2-1393215-5





Anschlussleitungen

Farbe	Kontakt	Info
Grün	I	
Weiß	F	
Braun	C	Schaltkontakt Braun
Gelb	T	Schaltkontakt Blau
Rot	+	Batterie +
Schwarz	-	Masse
Rot/Schwarz	Sensor	K243